

Rubber distributor



 **Bals**

Simply. Well. Connected.

We live in a fast-moving time. It is also frequently necessary to make modifications to power distribution systems. Power distributors used in industrial buildings, production facilities, laboratories, harbour docks, markets, tunnel, road construction sites and many other locations therefore frequently need to be adapted and are subject to very rough treatment.

The MODBOX® is the ideal solution. The new patented MODBOX® rubber distributor series from Bals Elektrotechnik GmbH combines all the demands placed on current distributors up to a maximum protection degree of IP67. As far as impact resistance is concerned, the MODBOX® leaves no wish unfulfilled. The material properties of the MODBOX® are unique: its robustness and resistance to ageing, temperature, oil and acid are unbeatable. The MODBOX® is, of course, also fully insulated, UV-resistant and halogen-free as well as flame-resistant and self-extinguishing.

The truly innovative enclosure design allows existing installations to be adapted quickly. Order separation attachments are provided in the enclosure. This makes it easier to install strong-current and weak-current systems.

An outstanding feature is that MODBOX® units can be easily connected next to each as modules without any modifications needing to be made to the basic installation. The MODBOX® is freely configurable. Four openings in the side of the MODBOX® allow modules to be added in any direction. Another new feature are the yellow connecting and end corners. To further improve safety, the luminous end corners (luminescence time up to 7 hours) are recommended.



Configure your own MODBOX® at www.bals.com



User-friendly OTC operating window on MODBOX®-Midi.



Continuous all-round seals provide IP67 protection level



Solid guide rails ensure an extremely high level of dimensional stability, especially at connection between upper and lower part of enclosure


Corners (luminous on request) standard end corners in yellow, interchangeable (2 or 4). They allow MODBOX® units to be connected together without problem.

Slot and recess

Slot with ring set sealed to achieve the high IP protection level. Wedge-shape rubber teeth for increased stability.

Recess in base

Recess provided for order separation if required (strong current and weak current).



Bottom section of MODBOX®

Drill holes

4 drill holes ensure a perfect permanent installation.

Cutouts

4 cutouts for attaching the wall mounting anchors.

Feedthrough openings

4 openings in the MODBOX® wall facilitate modular expansion of the installation in every direction. The slide-in connector was developed to ensure perfect connection. The frame, inserted if additional modules are added, ensures additional stability. In the standard configuration, the feedthrough openings are sealed off using blanking panels.

Distributor Quick Search

How to find your distributor.

Example:

You are looking for a distributor with the following components:

Domestic socket x 2

CEE 16A, 230V, 3p x 0

CEE 16A, 400V, 5p x 1

CEE 32A, 400V, 5p x 1

CEE 63A, 400V, 5p x 0

Data socket x 0

Schuko-type socket 16A,	CEE - 16A 230V, 3p	CEE - 16A 400V, 5p	CEE - 32A 400V, 5p	CEE - 63A 400V, 5p	Data socket
2	0	1	0	0	0
2	0	2	0	0	0

Your configuration request yields the following "key number": **202000**

Your key number must always be six digits long; please fill non-desired products with a zero.

The key numbers of the most common rubber distributors are listed on pages 4 and 5.

In our example, on page 4 you will find the following distributors with the key number **202000**:

Schuko-type socket 16A,	CEE - 16A 230V, 3p	CEE - 16A 400V, 5p	CEE - 32A 400V, 5p	CEE - 63A 400V, 5p	Data socket	Fuse RCCB	Fuse CB	Fuse Neozed	Order number	Photo: see (page/item)
2	0	1	0	0	0	1 x 40/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p		5401886 IP44	6/03
2	0	2	0	0	0	1 x 40/0,03A, 4p	2 x C, 16A, 1p 2 x C, 16A, 3p		5402161 IP67	9/03

All distributors are described again in detail and shown with a photo on the specified page and at the specified item number.

Multiple distributors with different configurations may be available under a single key and can be selected accordingly.

Should you require assistance when making your selection, please contact us or use the distributor quick search feature (Configurator) at **www.bals.com**.

Under "Guided Product Search", click **Combinations/distributors**.


On our website, you can also enter the **part number/search** and immediately call up and download the desired distributor with text/dimension drawing and XML.

Distributor Quick Search

 Domestic socket	 CEE - 16A 230V, 3p	 CEE - 16A 400V, 5p	 CEE - 32A 400V, 5p	 CEE - 63A 400V, 5p	 Data socket	 Fuse RCCB	 Fuse CB	 Fuse Neozed	Order number	Photo: see (page/item)
2	0	1	0	0	0	1 x 40/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p		5401886 IP44	6/03
2	0	2	0	0	0	1 x 40/0,03A, 4p	2 x C, 16A, 1p 2 x C, 16A, 3p		5402161 IP67	9/03
2	0	1	1	0	0	1 x 63/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5402163 IP67	9/05
2	0	1	1	0	0	1 x 40/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5402162 IP67	9/04
2	0	1	1	0	0	1 x 40/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p		5401892 IP44	6/04
2	0	1	1	0	0	1 x 40/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5401302 IP44	8/01
2	0	1	1	0	0	1 x 63/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5401274 IP44	8/06
2	0	0	2	0	0	1 x 63/0,03A, 4p	2 x C, 16A, 1p 2 x C, 32A, 3p		5402164 IP67	9/06
2	0	0	2	0	0	1 x 63/0,03A, 4p	2 x C, 16A, 1p 2 x C, 32A, 3p		5402044 IP44	7/06
2	0	1	1	0	1	1 x 40/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5402059 IP44	8/07
3	0	0	0	0	0	1 x 40/0,03A, 4p	3 x C, 16A, 1p		5401882 IP44	6/01
3	0	1	0	0	0	1 x 40/0,03A, 4p	3 x C, 16A, 1p 1 x C, 16A, 3p		5402160 IP67	9/02
3	1	1	0	0	0	1 x 40/0,03A, 4p	3 x C, 16A, 1p 1 x C, 16A, 1p 1 x C, 16A, 3p		5402046 IP44	8/02
3	0	2	0	0	0	1 x 40/0,03A, 4p	3 x C, 16A, 1p 2 x C, 16A, 3p		5402166 IP67	9/08
3	0	2	0	0	0		3 x C, 16A, 1p 2 x C, 16A, 3p		5401894 IP44	6/05
3	0	2	0	0	0	1 x 40/0,03A, 4p	3 x C, 16A, 1p 2 x C, 16A, 3p		5401455 IP44	7/01
3	0	1	1	0	0	1 x 63/0,03A, 4p	3 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5402165 IP67	9/07
3	0	1	1	0	0		3 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5401905 IP44	6/06
3	0	1	1	0	0	1 x 40/0,03A, 4p		3 x D01, 1p 1 x D01, 3p	5401668 IP44	7/04
3	0	1	1	0	0			3 x D01, 1p 1 x D01, 3p 1 x D02, 3p	5401662 IP44	7/05
3	0	1	1	0	0	1 x 40/0,03A, 4p	3 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5401343 IP44	7/03
3	0	0	2	0	0	1 x 63/0,03A, 4p	3 x C, 16A, 1p 2 x C, 32A, 3p		5401567 IP44	7/02

Distributor Quick Search

 Domestic socket	 CEE - 16A 230V, 3p	 CEE - 16A 400V, 5p	 CEE - 32A 400V, 5p	 CEE - 63A 400V, 5p	 Data socket	 Fuse RCCB	 Fuse CB	 Fuse Neozed	Order number	Photo: see (page/item)
3	0	1	1	0	1	1 x 63/0,03A, 4p	3 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5402060 IP44	8/08
4	0	0	0	0	0	1 x 40/0,03A, 4p	4 x C, 16A, 1p		5402159 IP67	9/01
4	0	1	1	0	0		4 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5402047 IP44	8/05
4	0	1	1	0	0	1 x 40/0,03A, 4p	4 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5401801 IP44	8/04
4	0	1	1	0	0	1 x 63/0,03A, 4p	2 x C, 16A, 1p 1 x C, 16A, 3p 1 x C, 32A, 3p		5401453 IP44	8/03
6	0	0	0	0	0	1 x 40/0,03A, 4p	6 x C, 16A, 1p		5401884 IP44	6/02



depth x in (mm)

with	IP44	IP67	with	IP44	IP67
OTC operating window	165	165	CEE 16A 5p	197	195
domestic socket	152	195	CEE 32A 3p/4p	201	203
CEE 16A 3p	190	190	CEE 32A 5p	203	204
CEE 16A 4p	194	192	CEE 63A 3p/4p/5p	219	221

30 MB 218

- Dimension of enclosure: 384 x 255 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- User-friendly OTC operating window
- Modular extension
- Hardness grade of 99 shore
- Resistant to ageing, temperature, oil and acid
- Excellent resistance to chemicals
- Flame-resistant, self-extinguishing
- Top section straight, CEE sockets angled
- All CEE sockets with screwless, maintenance-free QUICK-CONNECT technology
- Black top and bottom section with yellow end corners
- Available in various RAL colours
- Accessories: see page 184

MODBOX[®] -Midi

Order no. **5401882**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

3 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
01

MODBOX[®] -Midi

Order no. **5401884**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

6 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
02

MODBOX[®] -Midi

Order no. **5401886**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
03

MODBOX[®] -Midi

Order no. **5401892**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
04

MODBOX[®] -Midi

Order no. **5401894**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
2 C-type MCBs 16A, 3p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
05

MODBOX[®] -Midi

Order no. **5401905**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
06



depth x in (mm)

with	IP44	IP67	with	IP44	IP67
domestic socket	192	235	CEE 32A 3p/4p	241	243
CEE 16A 3p	230	230	CEE 32A 5p	243	244
CEE 16A 4p	234	232	CEE 63A 3p/4p/5p	259	261
CEE 16A 5p	237	235			

13MB109

- Dimension of enclosure: 420 x 300 mm
- Ready wired for installation
- Enclosure made of high-quality, impact-resistant solid rubber
- Modular extension
- Hardness grade of 99 shore
- Resistant to ageing, temperature, oil and acid
- Excellent resistance to chemicals
- Flame-resistant, self-extinguishing
- Top section straight, CEE sockets angled
- All CEE sockets with screwless, maintenance-free QUICK-CONNECT technology
- Black top and bottom section with yellow end corners
- Available in various RAL colours
- Accessories: see page 184



Order no. **5401455**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
2 C-type MCBs 16A, 3p
1 RCCB 40/0.03A, 4p


Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
01



Order no. **5401567**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
2 C-type MCBs 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
02



Order no. **5401343**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 16 mm²



Item
03



Order no. **5401668**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 Neozed D01, 1p
1 Neozed D01, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
04



Order no. **5401662**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 Neozed D01, 1p
1 Neozed D01, 3p
1 Neozed D02, 3p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
05



Order no. **5402044**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
2 C-type MCBs 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
06



Order no. **5401302**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
01



Order no. **5402046**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 230V, 3p
1 CEE socket 16A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
02



Order no. **5401453**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
03



Order no. **5401801**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

4 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
04



Order no. **5402047**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

4 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
05



Order no. **5401274**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
06



Order no. **5402059**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p
1 double data socket RJ45 CAT6 IP55

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at top and bottom:
each with 2x M20, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²



Item
07



Order no. **5402060**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p
1 double data socket RJ45 CAT6 IP55

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M20, 2x M40

Connection option:

for 2 cables up to 5 x 16 mm²



Item
08



Order no. **5402159**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

4 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
01



Order no. **5402160**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
02



Order no. **5402161**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
2 C-type MCBs 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
03



Order no. **5402162**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
04



Order no. **5402163**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
05



Order no. **5402164**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
2 C-type MCBs 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
06



Order no. **5402165**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
07



Order no. **5402166**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
2 C-type MCBs 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry at bottom:

1x M12, 2x M40

Connection option:

for 2 cables up to 5 x 25 mm²

Item
08


Surface mounting combinations

Solid-rubber Enclosure, Surface Mounting

- Ready wired for installation

- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



depth x in (mm)

with	IP44	IP67
OTC operating window	172	215
schuko-type	210	210
CEE 16A 3p	214	212
CEE 16A 4p	217	215

with	IP44	IP67
CEE 32A 3p/4p	221	223
CEE 32A 5p	223	224
CEE 63A 3p/4p/5p	239	241

13MB117

- Dimension of enclosure: 380 x 370 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- Space for up to 18 modules under operating window
- Hardness grade of 97 shore
- Hinged lid
- Resistant to ageing, temperature, oil and acid
- Flame-resistant, self-extinguishing
- All CEE sockets with screwless, maintenance-free QUICK-CONNECT technology



Item
01

Order no. **5402049**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 4 C-type MCBs 16A, 1p
- 2 C-type MCBs 16A, 3p
- 1 C-type MCB 32A, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
02

Order no. **5402050**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 4 C-type MCBs 16A, 1p
- 2 C-type MCBs 16A, 3p
- 1 C-type MCB 32A, 3p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
03

Order no. **5402051**

Components:

- 2 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 2 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 C-type MCB 32A, 3p
- 1 Neozed D02, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
03

Order no. **5402052**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 4 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 C-type MCB 32A, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
04

Order no. **5402053**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 4 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 C-type MCB 32A, 3p

Cable entry at top and bottom:
each with 2x M40

Connection option:
for 2 cables up to 5 x 25 mm²



Item
05

Order no. **5402054**

Components:


- 2 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 2 Neozed D01, 1p
- 1 Neozed D01, 3p
- 2 Neozed D02, 3p

Cable entry at top and bottom:
each with 2x M50

Connection option:
for 2 cables up to 5 x 25 mm²



13MB052

- Dimension of enclosure: 140 x 140 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- Small, compact design
- Top and bottom in signal yellow
- Handle made of stainless steel



Order no. **57275**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:

1 RCCB 25/0.03A, 2p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G1,5

Item
01



Order no. **57148**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5

Item
02



Order no. **57623**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Cable entry/inlet:

Domestic plug 16A, 230V, 3p
4 m cable H07RN-F3G2,5

Item
03



Order no. **57996**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 rotary field measuring device

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE phase inverter 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5

Item
04



Order no. **57255**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5

Item
05



Order no. **57143**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5

Item
06


Block distributors

Solid-rubber Enclosure, portable

- Ready wired for installation

- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



13MB007

- Dimension of enclosure: 365 x 120 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- Ideally suited to tough, harsh and difficult conditions
- Convenient and compact design
- With moulded carrying handle



Order no. **530179**

Components:
 1 Domestic socket 16A, 230V ~
 (system F - German earthing System)
 1 CEE socket 16A, 400V, 5p
 1 CEE socket 32A, 400V, 5p

Fuse:
 1 C-type MCB 16A, 1p
 1 C-type MCB 16A, 3p

Cable entry/inlet:
 CEE plug 32A, 400V, 5p with
 lead 1.8 m H07RN-F5G4

Item
01



Order no. **5310**

Components:
 3 CEE sockets 16A, 400V, 5p

Cable entry/inlet:
 CEE plug 16A, 400V, 5p with
 lead 1.8 m H07RN-F5G2,5

Item
02



Order no. **53141**

Components:
 4 Domestic sockets 16A, 230V ~
 (system F - German earthing System)

Fuse:
 1 RCCB 25/0.03A, 2p

Cable entry/inlet:
 Domestic plug 16A, 230V, 3p with 2 m
 lead H07RN-F3G2,5

Item
03



Order no. **53525**

Components:
 3 CEE sockets 32A, 400V, 5p

Cable entry/inlet:
 CEE plug 32A, 400V, 5p with
 lead 2 m H07RN-F5G4

Item
04



Order no. **53420**

Components:
 2 CEE sockets 16A, 400V, 5p

Fuse:
 2 C-type MCBs 16A, 3p

Cable entry/inlet:
 CEE plug 32A, 400V, 5p with
 lead 2 m H07RN-F5G6

Item
05



Order no. **53290**

Components:
 4 Domestic sockets 16A, 230V ~
 (system F - German earthing System)
 1 CEE socket 16A, 400V, 5p

Cable entry/inlet:
 CEE plug 16A, 400V, 5p with
 lead 2 m H07RN-F5G2,5

Item
06

Block distributors

Solid-rubber Enclosure, portable

- Ready wired for installation

- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



Item
01

Order no. **530003**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5



Item
02

Order no. **530**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 1.8 m H07RN-F5G2,5



Item
03


Order no. **5311**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 1.8 m H07RN-F5G2,5



Item
04


Order no. **5350**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Cable entry/inlet:

Domestic plug 16A, 230V, 3p
with 2 m cable H07RN-F3G2,5



Item
05

Order no. **53247**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5



Item
06

Order no. **53213**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5



Item
07

Order no. **5321**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5



Item
08

Order no. **530321**

Components:

3 CEE sockets 16A, 400V, 5p

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5


Block distributors

Solid-rubber Enclosure, portable

- Ready wired for installation

- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



13MB054

- Dimension of enclosure: 400 x 150 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- Ideally suited to tough, harsh and difficult conditions
- Convenient and compact design
- With moulded carrying handle

Item
01



Order no. **53909**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

3 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 32A, 400V, 5p with
lead 2 m H07RN-F5G4

Item
02



Order no. **53681**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p


Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5

Item
03



Order no. **53679**


Components:

12 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5

Item
04



Order no. **530090**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 32A, 400V, 5p


Fuse:

3 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 32A, 400V, 5p with
lead 2 m H07RN-F5G4

Item
05



Order no. **530425**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5

Item
06



Order no. **530426**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p


Cable entry/inlet:

CEE plug 32A, 400V, 5p with
lead 2 m H07RN-F5G4

Floor-standing distributors

Solid-rubber Enclosure, portable

- Ready wired for installation
- Protection degree IP44
- All distributors on this page with domestic sockets, German earthing



13MB043

- Dimension of enclosure: 250 x 210 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- Ideally suited to tough, harsh and difficult conditions
- Robust solid-rubber handle with hook for cable
- Lockable stainless-steel quick-release fasteners
- Hinged lid, user-friendly access to protective equipment
- Stackable, foot attachment on enclosure cover
- High rubber feet to avoid dirt at floor level



Item
01

Order no. **5226**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 2 Neozed D01, 1p
- 2 Neozed D01, 3p

Cable entry/inlet:

- CEE inlet 32A, 400V, 5p



Item
02

Order no. **522590**

Components:

- 6 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 rotary field measuring device

Fuse:

- 3 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 RCCB 40/0.03A, 4p

Cable entry/inlet:

- CEE phase inverter 32A, 400V, 5p



Item
03

Order no. **5201558**

Components:

- 3 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 3 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 RCCB 40/0.03A, 4p

Cable entry/inlet:

- CEE inlet 32A, 400V, 5p



Item
04

Order no. **5201047**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 4 C-type MCBs 16A, 1p
- 2 C-type MCBs 16A, 3p
- 1 RCCB 40/0.03A, 4p

Cable entry/inlet:

- CEE inlet 32A, 400V, 5p



Item
05

Order no. **522144**

Components:

- 2 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 2 CEE sockets 32A, 400V, 5p

Fuse:

- 1 Neozed D01, 1p
- 1 Neozed D01, 3p

Cable entry/inlet:

- CEE inlet 32A, 400V, 5p



Item
06

Order no. **5201015**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 2 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 RCCB 40/0.03A, 4p

Cable entry/inlet:

- CEE plug 32A, 400V, 5p with lead 2 m H07RN-F5G4



Floor-standing distributors

Solid-rubber Enclosure, portable

- Ready wired for installation

- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



Order no. **5201926**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
2 CEE sockets 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 32A, 400V, 5p with
3 m cable H07RN-F5G6

Item
01



Order no. **5202236**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p
2 CEE sockets 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
2 C-type MCBs 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p

Item
02



Order no. **5200568**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
3 CEE sockets 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p

Item
03



Order no. **524449**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 32A, 400V, 5p

Fuse:

4 C-type MCBs 16A, 1p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p

Item
04



Order no. **5225**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Cable entry/inlet:

CEE inlet 16A, 400V, 5p

Item
05



Order no. **5201004**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
2 CEE sockets 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p

Item
06



Order no. **5200917**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p

Item
07



Order no. **5202237**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 32A, 400V, 5p with
lead 3 m H07RN-F5G4

Item
08

Floor-standing distributors

Solid-rubber Enclosure, portable

- Ready wired for installation

- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



Item
01

Order no. **526**

Components:

5 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Cable entry/inlet:

CEE inlet 16A, 400V, 5p



Item
02

Order no. **5202238**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
2 CEE sockets 32A, 400V, 5p

Fuse:

4 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p



Item
03

Order no. **522143**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 Neozed D01, 1p
1 Neozed D01, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p



Item
04

Order no. **52638**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 16A, 400V, 5p with
lead 2 m H07RN-F5G2,5



Item
05

Order no. **5201555**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

3 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p



Item
06

Order no. **52480**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 16A, 400V, 5p



Item
07

Order no. **522589**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p
1 rotary field measuring device

Fuse:

3 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE phase inverter 16A, 400V, 5p



Item
08

Order no. **523291**

Components:

6 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

6 C-type MCBs 16A, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 32A, 400V, 5p with
lead 3 m H07RN-F5G4


Floor-standing distributors

Solid-rubber Enclosure, portable

- Ready wired for installation

- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



13MB036

- Dimension of enclosure: 320 x 245 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- Ideally suited to tough, harsh and difficult conditions
- Robust solid-rubber handle with hook for cable
- Lockable stainless-steel quick-release fasteners
- Hinged lid, user-friendly access to protective equipment
- Stackable, foot attachment on enclosure cover
- High rubber feet to avoid dirt at floor level



Item
01

Order no. **5202239**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p
2 CEE sockets 32A, 400V, 5p

Fuse:

4 C-type MCBs 16A, 1p
2 C-type MCBs 16A, 3p
2 C-type MCBs 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE plug 63A, 400V, 5p with
lead 2 m H07RN-F5G10



Item
02

Order no. **5202240**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p
1 CEE socket 63A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE plug 63A, 400V, 5p with
lead 3 m H07RN-F5G10



Item
03

Order no. **524443**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
3 CEE sockets 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 Neozed D01, 1p
3 Neozed D01, 3p

Cable entry/inlet:

CEE plug 32A, 400V, 5p with
lead 3 m H07RN-F5G4



Item
04

Order no. **522167**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
3 CEE sockets 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Fuse:

2 Neozed D01, 1p
3 Neozed D01, 3p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p



Item
05

Order no. **521828**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
4 CEE sockets 32A, 400V, 5p

Fuse:

4 Neozed D01, 1p
1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p



Item
06

Order no. **5202241**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p
1 CEE socket 63A, 400V, 5p

Fuse:

2 C-type MCBs 16A, 1p
1 C-type MCB 16A, 3p
1 C-type MCB 32A, 3p
1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE inlet 63A, 400V, 5p

Floor-standing distributors

Solid-rubber Enclosure, portable

- Ready wired for installation
- Protection degree IP44

- All distributors on this page with domestic sockets, German earthing



Item
01

Order no. **524446**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 2 Neozed D01, 1p
- 1 Neozed D01, 3p
- 1 Neozed D02, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE plug 63A, 400V, 5p with lead 3 m H07RN-F5G10



Item
02

Order no. **5202242**

Components:

- 6 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 6 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 C-type MCB 32A, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE plug 63A, 400V, 5p with lead 2 m H07RN-F5G16



Item
03

Order no. **5202469**

Components:

- 6 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 6 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 C-type MCB 32A, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE inlet 63A, 400V, 5p



Item
04

Order no. **5202243**

Components:

- 8 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 4 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE plug 32A, 400V, 5p with lead 3 m H07RN-F5G4



Item
05

Order no. **5202244**

Components:

- 8 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 1 CEE socket 32A, 400V, 5p

Fuse:

- 4 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 1 RCCB 40/0.03A, 4p

Cable entry/inlet:

CEE inlet 32A, 400V, 5p



Item
06

Order no. **5201003**

Components:

- 3 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 1 CEE socket 16A, 400V, 5p
- 2 CEE sockets 32A, 400V, 5p
- 1 CEE socket 63A, 400V, 5p

Fuse:

- 3 C-type MCBs 16A, 1p
- 1 C-type MCB 16A, 3p
- 2 C-type MCBs 32A, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE inlet 63A, 400V, 5p



Item
07

Order no. **5202245**

Components:

- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 2 CEE sockets 32A, 400V, 5p

Fuse:

- 2 C-type MCBs 16A, 1p
- 2 C-type MCBs 16A, 3p
- 2 C-type MCBs 32A, 3p
- 1 RCCB 63/0.03A, 4p

Cable entry/inlet:

CEE plug 63A, 400V, 5p with lead 3 m H07RN-F5G10



Item
08

Order no. **5202470**

Components:


- 4 Domestic sockets 16A, 230V ~ (system F - German earthing System)
- 2 CEE sockets 16A, 400V, 5p
- 2 CEE sockets 32A, 400V, 5p

Fuse:

- 2 C-type MCBs 16A, 1p
- 2 C-type MCBs 16A, 3p
- 2 C-type MCBs 32A, 3p
- 1 RCCB 63/0.03A, 4p


Cable entry/inlet:

CEE inlet 63A, 400V, 5p



13MB045

- Dimension of enclosure: 140 x 140 mm
- Enclosure made of high-quality, impact-resistant solid rubber
- Small, compact design
- Variable configuration
- Fuse protection and data systems safely protected behind an operating window
- Top and bottom in signal yellow
- Hanging bracket made of V2A stainless steel
- Easy connection and disconnection of loads by means of knob or grip hook
- Unproblematic connection of supply cable by means of specially developed clamping ring



Item
01

Order no. **57092**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Cable entry:

1x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
02

Order no. **57076**

Components:


3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Cable entry:

1x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
03

Order no. **57078**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Cable entry:

1x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
04

Order no. **57117**

Components:


2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p
1 compressed air connection:
(inlet: 1/2" pipe with external thread;
outlet: 1/2" quick-release connector)

Cable entry:

1x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
05

Order no. **57116**

Components:


3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 compressed air connection:
(inlet: 1/2" pipe with external thread;
outlet: 1/2" quick-release connector)

Cable entry:

1x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
06

Order no. **57119**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 compressed air connection:
(inlet: 1/2" pipe with external thread;
outlet: 1/2" quick-release connector)

Cable entry:

1x M25

Connection option:

for 1 cable up to 5 x 10 mm²

Uni-Block

Solid-rubber Enclosure, Suspended Distributors

Cable entry: - Ready wired for installation
2x M25 (2 circuits) - Protection degree IP44
- All distributors on this page with domestic sockets, German earthing

Connection option:
for 2 cables up to 5 x 10 mm²



Item
01

Order no. **571121**

Components:
3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 compressed air connection
(inlet: 1/2" hose connector NW 13 mm
output: 1/2" two-way quick-release
connector)

Cable entry:
2x M25 (2 circuits)

Connection option:
for 2 cables up to 5 x 10 mm²



Item
02

Order no. **573395**

Components:
3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
4 data sockets RJ45/ Cat. 6

Cable entry:
1x M25, 1x M32

Connection option:
for 1 cable up to 5 x 10 mm²



Item
03

Order no. **57829**

Components:
2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p

Fuse:
1 RCCB 40/0.03A, 4p

Cable entry:
1x M25

Connection option:
for 1 cable up to 5 x 10 mm²



Item
04

Order no. **57250**

Components:
2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p

Cable entry:
1x M25, 1x M32 (2 circuits)

Connection option:
for 2 cables up to 5 x 10 mm²



Item
05

Order no. **57986**

Components:
4 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Cable entry:
1x M25

Connection option:
for 1 cable up to 5 x 10 mm²



Item
06

Order no. **57074**

Components:
4 CEE sockets 16A, 400V, 5p

Cable entry:
1x M25

Connection option:
for 1 cable up to 5 x 10 mm²



Item
07

Order no. **571276**

Components:
3 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:
1 RCCB 40/0.03A, 4p

Cable entry:
1x M25

Connection option:
for 1 cable up to 5 x 10 mm²




Item
08

Order no. **570531**

Components:
2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 empty space for data sockets

Cable entry:
2x M25

Connection option:
for 1 cable up to 5 x 10 mm²



Item
01

Order no. **573143**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 data sockets RJ45/ Cat. 6

Cable entry:

2x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
02

Order no. **572231**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 CEE sockets 16A, 400V, 5p

Fuse:

1 RCCB 40/0.03A, 4p

Cable entry:

1x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
03

Order no. **57963**

Components:

3 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:

1 RCCB 25/0.03A, 2p

Cable entry:

1x M25

Connection option:

for 1 cable up to 3 x 10 mm²



Item
04

Order no. **570451**

Components:

4 Domestic sockets 16A, 230V ~
(system F - German earthing System)

Fuse:


1 RCCB 40/0.03A, 4p

Cable entry:

1x M20

Connection option:

for 1 cable up to 5 x 10 mm²



Item
05

Order no. **57711**

Components:

2 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 CEE socket 16A, 400V, 5p
1 CEE socket 32A, 400V, 5p
1 compressed air connection:
(inlet: 1/2" pipe with external thread;
outlet: 1/2" quick-release connector)

Cable entry:

1x M25, 1x M32 (2 circuits)

Connection option:

for 2 cables up to 5 x 10 mm²



Item
06

Order no. **573151**

Components:


6 Domestic sockets 16A, 230V ~
(system F - German earthing System)
2 data sockets RJ45/ Cat. 6

Cable entry:

2x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
07

Order no. **57360**

Components:


3 Domestic sockets 16A, 230V ~
(system F - German earthing System)
1 empty space for data sockets

Cable entry:

2x M25

Connection option:

for 1 cable up to 5 x 10 mm²



Item
08

Order no. **571370**

Components:

2 Domestic sockets 16A, 230V ~
(system F - german earthing System)
with child protection
2 laboratory sockets yellow/green, earth
potential
Laboratory sockets 2x blue and 2x red
DC extra-low voltage
2 laboratory sockets yellow, AC
extra-low voltage

Cable entry:

4x M20

Connection option:

for 1 cable up to 3 x 10 mm²

Cable gland



- Black
- Protection degree IP67

	Thread	Sealing range	Order no.
	M12	3-6 mm	580647
	M20	8-13 mm	580648
	M25	11-17 mm	580649
	M32	15-21 mm	580650
	M40	19-28 mm	580651
Multiple sealing insert	for M25	2x8 mm	580652
	for M32	4x8 mm	580653

Cable gland with pressure equalisation

The use of pressure equalisation cable glands allows the internal pressure to adjust to the ambient pressure. The type-tested protection degree of the enclosure is fully retained. Temperature fluctuations, intense sunlight, or a sudden change in weather can cause condensation to form in combination enclosures. Basically, condensation can form in all sealed solid-rubber distributors. The higher the protection degree is, the more likely the formation of condensation will be.

We therefore recommend, especially in the case of distributors with protection degree IP67, the use of pressure equalisation cable glands.



- Minimised condensation formation and therefore reduction in downtimes and time-consuming and expensive repair work
- No expensive and high-maintenance ventilation technology required
- No drip holes which reduce the level of protection
- With air ducts for pressure equalisation
- black
- Protection degree IP67

	Thread	Sealing range	Order no.
	M20	6-13 mm	580656
	M25	9-17 mm	580657
	M32	13-21 mm	580658
	M40	16-28 mm	580659

Mounting set



- For MODBOX and MODBOX-Midi
- Consisting of:
4 screws 6 x 60 mm
4 screw anchors 8 x 51 mm

Order no. **580640**

Lock set



- For MODBOX operating window
 - With locking cylinder and 2 keys
- Order no. **58037-BE**



- For MODBOX-Midi OTC window
- With long shackle and 2 keys

Order no. **580642**

Portable stand



- For MODBOX and MODBOX-Midi
- Hot-dip galvanised steel tubing
- Folding
- Weight 4 kg
- Dimensions: 350/570 x 780 x 540 mm

(W x H x D)

Order no. **580721**

Power-Port floor-standing distributor without door



- Only for MODBOX-Midi
- Enclosure dimensions 1300 x 350 x 275 mm (H x W x D)
- Enclosure made of high-quality V2A stainless steel
- Ground metal surface
- Moveable panel for concealing cables
- Base plate suitable for pedestal mounting
- Available in different colours (optional)

Order no. **580589**

Power-Port floor-standing distributor with door



- Only for MODBOX-Midi
- Enclosure dimensions 1300 x 350 x 415 mm (H x W x D)
- Enclosure made of high-quality V2A stainless steel
- Ground metal surface
- Moveable panel for concealing cables
- Base plate suitable for pedestal mounting
- Door with box lock and single profile cylinder, internal hinges
- Brush seal prevents dirt and dust from entering when door is closed
- Outgoing cables can be guided out through brush-sealed opening on front side
- Available in different colours (optional)

Order no. **580508**

